



## SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION	
<b>PRODUCT</b>	
<b>Product Name:</b>	<b>VACUUM PUMP LUBRICANT ISO 46 - 100 BVA VAC 46, BVA VAC 68, BVA VAC 100.</b>
<b>Product Description:</b>	Highly Refined Mineral Oil Base Stock (oil) with Synthetic Hydrocarbon Oil.
<b>Intended Use:</b>	Lubricant, Vacuum Pump Lubricant
<b>COMPANY IDENTIFICATION</b>	
Supplier	29222 Trident Industrial Blvd. New Hudson, MI 48165 USA +1-248-348-4920
<b>Emergency telephone numbers</b>	USA – Chemtrec: 800-424-9300 All Others – Chemtrec: +1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION																									
<p>This material is not considered to be hazardous according to regulatory guidelines see Section 15.</p> <p>BVA operates a world-wide system for hazard communication. Some hazards shown in Section 2 may apply to non-EU countries and may not result in classification and labeling in the EU. Please see Section 3 and 15 for country specific classification information, and Section 11 for additional details.</p>																									
<p><b>HEALTH HAZARDS</b></p> <p><b>Classification of the substance or mixture</b>                      ACUTE TOXICITY: ORAL - Category 5                      INHALATION - Category 5</p> <p><b>Hazard Classification:</b> Not hazardous.</p> <p><b>Label Elements Including Precautionary Statements</b>                      Symbol: None.                      Signal Word: None.                      Hazard Risk Statement: Not hazardous.                      Precautionary Statement: Avoid contact with skin and eyes.</p> <p style="margin-left: 40px;">IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p style="margin-left: 40px;">IF ON SKIN: Wash with plenty of soap and water.</p> <p><b>Other Hazard:</b> None known.</p> <p><b>U.S.A. Hazardous Material Information System and National Fire Protection Association (U.S.A.)</b></p>																									
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="width: 25%;">Degree of Hazard</th> <th style="width: 10%;">NFPA</th> <th style="width: 10%;">HMIS</th> <th colspan="2" style="width: 55%;">HAZARD RATINGS</th> </tr> </thead> <tbody> <tr> <td>Health</td> <td>1</td> <td>1</td> <td>0</td> <td>Insignificant</td> </tr> <tr> <td>Fire</td> <td>1</td> <td>1</td> <td>1</td> <td>Slight</td> </tr> <tr> <td>Reactivity</td> <td>0</td> <td>0</td> <td>2</td> <td>Moderate</td> </tr> <tr> <td>Personal Protection</td> <td></td> <td>B</td> <td>3</td> <td>High</td> </tr> </tbody> </table>	Degree of Hazard	NFPA	HMIS	HAZARD RATINGS		Health	1	1	0	Insignificant	Fire	1	1	1	Slight	Reactivity	0	0	2	Moderate	Personal Protection		B	3	High
Degree of Hazard	NFPA	HMIS	HAZARD RATINGS																						
Health	1	1	0	Insignificant																					
Fire	1	1	1	Slight																					
Reactivity	0	0	2	Moderate																					
Personal Protection		B	3	High																					
<p><b>Note :</b> This information is based on test data from similar products.</p> <p>This product is not formulated to contain ingredients which have exposure limits established by regulatory agencies. It is not hazardous to health as defined by the European Union Dangerous Substances/Preparations Directives. Low order of toxicity. Excessive exposure may result in eye, skin, or respiratory irritation. High-pressure injection under skin may cause serious damage.</p> <p>This material should not be used for any other purpose than the intended use in Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.</p>																									



SECTION 3: COMPONENT INFORMATION				
Chemical Name	CAS #	EINECs/ELINKs #	Percent (% wt)	Symbols /Risk Phrases
The base oil may be a mixture of the Following:  1) Hydrotreated Distillate, Heavy Paraffin 2) Hydrotreated Distillate, Light Paraffin 3) 1-decene, homopolymer, hydrogenated or other hydrogenated polyalphaolefin Synthetic Hydrocarbon Fluids	The base oil may be a mixture of the Following CAS#s:  64742-54-7, 64742-55-8 68037-01-4 151006-62-1	265-157-1 265-158-7 500-183-1 417-070-7	All Combined >99%	IK (None Required)
Proprietary additives			<1%	IK (None Required)
<b>Reportable Hazardous Substance(s) or Complex Substance(s)</b>				
None				
<b>Explanation of symbols:</b> IK = No Classification Required,				
<b>INGREDIENT COMMENTS</b> If no EU or no CAS numbers are given for classified components the raw material supplier has applied for / will apply for exemption, have not sent the complete information yet , or there could be no obligation to give the EU or CAS numbers.				

SECTION 4 : FIRST AID MEASURES	
<b>Inhalation:</b>	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
<b>Skin:</b>	Wash with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops get medical attention.
<b>Eye :</b>	Flush thoroughly with water. If irritation occurs, get medical assistance.
<b>Ingestion:</b>	First aid is normally not required. Seek medical attention if discomfort occurs.

SECTION 5 : FIRE FIGHTING PROCEDURES		
EXTINGUISHING MEDIA	Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Inappropriate Extinguishing Media: Straight streams of water	
FIRE FIGHTING	Fire Fighting Instructions: Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.  Hazardous Combustion Products: Smoke, Fume, Carbon Monoxide, Aldehydes,	
FLAMMABILITY PROPERTIES	<b>Flash Point ASTM D92 (open cup typical)</b>	
		°C (°F)
	VAC 46	216 (420)
	VAC 68	240 (464)
	VAC 100	260 (500)
		Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D  Autoignition Temperature: N/D



<b>SECTION 6 : SPILL OR LEAK HANDLING PROCEDURES</b>	
<b>SPILL MANAGEMENT</b>	<p>Land Spill: Stop leak if you can do so without risk. Recover by pumping or with suitable absorbent.</p> <p>Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.</p> <p>Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.</p>
<b>ENVIRONMENTAL PRECAUTIONS</b>	Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

<b>SECTION 7 : HANDLING AND STORAGE</b>	
<b>HANDLING</b>	Prevent small spills and leakage to avoid slip hazard. Static Accumulator: This material is a static accumulator.
<b>STORAGE</b>	Do not store in open or unlabelled containers.

<b>SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
<p>Exposure limits/standards for materials that can be formed when handling this product: When mists / aerosols can occur, the following are recommended: 5 mg/m<sup>3</sup> - ACGIH TLV, 10 mg/m<sup>3</sup> - ACGIH STEL.</p> <p>Note: Information about recommended monitoring procedures can be obtained from the relevant agency(ies)/institute(s)</p>	
<b>ENGINEERING CONTROLS</b>	<p>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:</p> <p>No special requirements under ordinary conditions of use and with adequate ventilation</p>
<b>PERSONAL PROTECTION</b>	<p>Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.</p>
Respiratory Protection:	<p>Respiratory Protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include:</p> <p>No special requirements under ordinary conditions of use and with adequate ventilation.</p> <p>For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.</p>
Hand Protection:	<p>Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include:</p> <p>No protection is ordinarily required under normal conditions of use.</p>
Eye Protection:	If contact is likely, safety glasses with side shields are recommended.
Skin and Body Protection:	<p>Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include:</p> <p>No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.</p>
Specific Hygiene Measures	<p>Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.</p>



ENVIRONMENTAL CONTROLS	See Sections 6, 7, 12, 13.
------------------------	----------------------------

**SECTION 9 : PHYSICAL & CHEMICAL PROPERTIES**

Typical physical and chemical properties are given below. Consult the Supplier in Section 1 for additional data.									
<b>General Information</b>	<b>HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION</b>								
Physical State            Liquid	Density at 20°C            0.855            - 0.863								
Color                        Clear colorless to pale yellow	Flash Point typical °C (°F)            >205 (401) See Section 5								
Odor                         Characteristic	Flammable Limits                        LEL: N/D    UEL: N/D								
Odor Threshold            ND	Autoignition Temperature:            ND								
	Boiling Point   °C (°F)                    >200 °C								
<b>OTHER INFORMATION</b>	Vapor Density (Air=1)                    NA								
Pour Point °C (°F)            -12 (10) or below	Vapor Pressure                            < 0.013 kPa (0.1 mm Hg) at 20°C								
Freezing Point                ND	Evaporation Rate (N-Butyl            ND Acetate = 1):								
Viscosity are +/- 10%									
<table border="1"> <tr> <td>Viscosity</td> <td>cSt at 40°C</td> </tr> <tr> <td>VAC 46</td> <td>46</td> </tr> <tr> <td>VAC 68</td> <td>68</td> </tr> <tr> <td>VAC 100</td> <td>100</td> </tr> </table>	Viscosity	cSt at 40°C	VAC 46	46	VAC 68	68	VAC 100	100	Solubility in Water                        Nil
Viscosity	cSt at 40°C								
VAC 46	46								
VAC 68	68								
VAC 100	100								
	Oxidizing Properties                      See Sections 3, 15, 16.								

**SECTION 10 : STABILITY & REACTIVITY**

STABILITY:	Material is stable under normal conditions.
CONDITIONS TO AVOID:	Excessive heat. High energy sources of ignition.
MATERIALS TO AVOID:	Strong oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS:	Material does not decompose at ambient temperatures.
HAZARDOUS POLYMERIZATION:	Will not occur.

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>ACUTE TOXICITY</b>	
Potential acute health effects	
Inhalation : No known significant effects or critical hazards.	
Ingestion : No known significant effects or critical hazards.	
Skin contact : No known significant effects or critical hazards.	
Eye contact : No known significant effects or critical hazards.	
<b>PRODUCT</b>	
<b>Route of Exposure</b>	<b>Conclusion / Remarks</b>
<b>INHALATION</b>	
Toxicity: LC50 > 5000 mg/m3	Minimally Toxic. Based on test data for structurally similar materials. Negligible hazard at ambient/normal handling temperatures. Based on assessment of the components.
Irritation: No end point data.	
<b>INGESTION</b>	
Toxicity: LD50 > 5000 mg/kg	Minimally Toxic. Based on test data for structurally similar materials.
<b>Skin</b>	
Toxicity: LD50 > 5000 mg/kg	Minimally Toxic. Based on test data for structurally similar materials. Negligible irritation to skin at ambient temperatures. Based on test data for structurally similar materials.
Irritation: Data available.	
<b>Eye</b>	
Irritation: Data available.	May cause mild, short-lasting discomfort to eyes. Based on test data for structurally similar materials.



**CHRONIC/OTHER EFFECTS**

**For the product itself:**

Repeated and/or prolonged exposure may cause irritation to the skin, eyes, or respiratory tract.

Base oil severely refined: Not carcinogenic in animal studies. Representative material passes IP-346, Modified Ames test, and/or other screening tests. Dermal and inhalation studies showed minimal effects; lung non-specific infiltration of immune cells, oil deposition and minimal granuloma formation. Not sensitising in test animals.

**CARCINOGENIC EFFECTS:**

Contains no carcinogens. Similar compounds essentially non-toxic. No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA), NTP or IARC.

Although there is no specific test data on all the base oil components, the mineral base oil would not be expected to exhibit carcinogenic potential based on what is known of the toxicity of mineral base oils in general.

The DMSO extract by IP 346 of the oil is less than 3%. (Typical 0.2% with Maximum 0.5%) Consequently it is not classified as a carcinogen.

The base oil in this product is severely hydro-treated by all hydro-processing route. By this refining history would be showed no evidence of carcinogenic potential.

**MUTAGENIC EFFECTS:** No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a mutagen.

**TERATOGENIC EFFECTS/DEVELOPMENTAL TOXICITY:** No component of this product at levels greater than 0.1% is classified by established regulatory criteria as teratogenic or embryotoxic.

**REPRODUCTION TOXICITY:** No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a reproductive toxin.

Additional information is available by request.

**OVER – EXPOSURE SIGNS/SYMPTOMS**

<b>Skin</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards.
<b>Inhalation</b>	No known significant effects or critical hazards.

**SECTION 12 : ECOLOGICAL INFORMATION**

The information given is based on data available for the material, the components of the material, and similar materials.

**ECOTOXICITY**

Material -- Not expected to be harmful to aquatic organisms.

**MOBILITY**

Base oil component -- Low solubility and floats and is expected to migrate from water to the land.  
Expected to partition to sediment and wastewater solids.

**PERSISTENCE AND DEGRADABILITY**

**Biodegradation:**

Base oil component -- Expected to be inherently biodegradable

**BIOACCUMULATION POTENTIAL**

Base oil component -- Has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

**ECOLOGICAL DATA**



Data for Highly Refined Severely Hydrotreated Base oil for similar materials

TEST	Duration	Organism Type	Test Results
Aquatic - Chronic Toxicity	21 day(s)	Water Flea	NOELR 1.05 mg/l: data for similar materials
	7 days	Fish	NOEC: > 5000mg/L (IUCLID Dataset)
	7 days	Aquatic Invertebrates,	NOEC: > 5000mg/L (IUCLID Dataset)

Care should be taken to minimize release of this product into the environment

Environmental Fate & Distribution	No Data Available	<b>Other Typical (not a specification)</b> Acute Toxicity to Fish: No Data Available Effect Concentration on Algae: No Data Available Ready Biodegradability: No Data Available Respiration Inhibition: No Data Available Adsorption/Desorption: No Data Available Abiotic Degradability-Hydrolysis : Not measurable
Persistence & Degradation Toxicity Available	No Data	
Effect on Effluent Treatment	Product may be partially removed in biological treatment processes.	

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

**DISPOSAL RECOMMENDATIONS**

Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products.

**REGULATORY DISPOSAL INFORMATION**

**European Waste Code:** 13 01 10

NOTE: These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

This material is considered as hazardous waste pursuant to Directive 91/689/EEC on hazardous waste, and subject to the provisions of that Directive unless Article 1(5) of that Directive applies.

**Empty Container Warning** Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.



**SECTION 14 : TRANSPORT INFORMATION**

**LAND (ADR/RID) :** Not Regulated for Land Transport  
**INLAND WATERWAYS (ADNR) :** Not Regulated for Inland Waterways Transport  
**SEA (IMDG) :** Not Regulated for Sea Transport according to IMDG-Code  
**AIR (IATA) :** Not Regulated for Air Transport

US DOT Classification: Not Regulated Marine Pollutant: Not a Pollutant Special Provisions for transport: None Identified	<b>ICAO/IATA Classification</b> Proper shipping name: Not regulated IATA Class UN number: Not regulated. Packing Group: Not regulated.
<b>ADR/RID Classification</b> UN number: Not regulated. Proper shipping name: Not regulated. ADR/RID Class: Not regulated. Packing Group: Not regulated.	<b>IMO/IMDG Classification</b> Proper shipping name: Not regulated IMDG Class: Not regulated UN number: Not regulated. Packing Group: Not regulated. Marine Pollutant: Not pollutant.

USA: No special warning labels are required under OSHA 29CFR 1910.1200. OSHA hazard warnings are not applicable for this product; therefore no OSHA Warnings would appear on the label. No EPA hazard classification code.

**SECTION 15: Regulatory Information Product Component Ingredients**

**Europe**

**Material is not dangerous as defined by the EU Dangerous Substances/Preparations Directives.**  
**EU LABELING: Not regulated according to EC Directives** Material is not dangerous as defined by the EU Dangerous Substances/Preparations Directives.  
  
 Classification and labeling have been performed according to EU Directives 67/548/EEC, 1999/45/EC and 2001/58/EC (including amendments) and the intended use.  
 - Consumer applications.

**United States**

**EPA SARA Title III Chemical Listings**  
 Section 302 Extremely Hazardous Substances: None.  
 Section 304 CERCLA Hazardous Substances: None.  
**OSHA HAZARD COMMUNICATION STANDARD:** When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**Canada**

**WHMIS** (Canadian Workplace Hazardous Materials Information System)  
 This product when tested as a whole is not a controlled substance within the meaning of the Hazardous Products Act.

**Germany:** Water Hazardous Class (WGK): 1 (low hazard to water)

**NATIONAL LEGISLATION / REGULATIONS**

**Ozone depleting chemicals:** No ozone depleting chemicals are present or used in manufacture.

**REGULATORY STATUS AND APPLICABLE LAWS AND REGULATIONS**

**Complies with the following national/regional chemical inventory requirements:** , DSL, ENCS, TSCA Special:

Inventory	Status
AICS	All components are listed or exempted.
ELINCS	Restrictions Apply
IECSC	All components are listed or exempted.
KECI	All components are listed or exempted.
PICCS	All components are listed or exempted.



<b>Detail</b> <b>U.S. Regulations</b>	US INVENTORY (TSCA 8b): Listed on inventory. SARA Title III Section 302 Extremely Hazardous Substances (40 CFR Part 355):: This product is not regulated under Section 302 of SARA and 40 CFR Part 355. SARA Title III Sections 311/312 Hazardous Categorization (40 CFR Part 370):: Defined as non-hazardous by OSHA under 29 CFR 1910.1200(d). SARA 313 toxic chemical notification and release reporting: No products were found. CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: This material is not regulated under CERCLA Sections 103 and 107.
<b>State Regulations</b>	No products were found. California prop. 65: No products were found

<b>SECTION 16: OTHER INFORMATION</b>	
<p>This product safety data sheet was prepared in compliance with Commission Directive 2001/58/EC , 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labeling of dangerous substances and preparations.</p>	
<p><b>N/D = Not determined, N/A = Not applicable</b>  <b>KEY TO THE RISK CODES CONTAINED IN SECTION 2 AND 3 OF THIS DOCUMENT (for information only):</b>  <b>THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS: minor typographical 17 August 2010</b>  <b>Date of ISSUE/Printing 10-January-2012</b></p>	
<p>The information and recommendations contained herein are, to the best of our knowledge and belief, accurate and reliable as of the date issued. You can contact us to insure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.</p>	