

1. Product and Company Identification

Material name	ALUMINUM SULFATE HYDRATE
Version #	02
Revision date	08-26-2011
CAS #	17927-65-0
Product Codes	J.T.Baker: 0564 Macron: 3208
Synonym(s)	Sulfuric acid, aluminum salt (3:2), hydrate
Manufacturer	Avantor Performance Materials, Inc.
Address	3477 Corporate Parkway Suite #200 Center Valley, PA 18034 US
Customer Service	855-282-6867
24 Hour Emergency	908-859-2151
Chemtrec	800-424-9300

2. Hazards Identification

Emergency overview	DANGER
	Harmful if swallowed. Causes eye burns. Causes skin irritation. Dust extremely irritating to the eyes and respiratory tract. Prolonged exposure may cause chronic effects.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Ingestion. Inhalation. Skin contact. Eye contact.
Eyes	Causes eye burns. Dust or splashes from the mixture may cause permanent eye damage.
Skin	Causes skin irritation. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.
Inhalation	Dust extremely irritating to the respiratory tract.
Ingestion	Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Target organs	Eyes. Skin. Respiratory system. Brain. Kidneys. Liver.
Chronic effects	Ingestion over a long period of time may cause damage to the liver, kidneys and nervous system.
Potential environmental effects	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent
ALUMINUM SULFATE HYDRATE	17927-65-0	98 - 100

Composition comments CAS # 17927-65-0 can be described by the CAS # 7784-31-8, 16828-11-8, & 10043-01-3.

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention.

Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.
Inhalation	Move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Notes to physician	Keep victim under observation. Treat symptomatically.
General advice	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Show this safety data sheet to the doctor in attendance. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Flammable properties	The product is not flammable. No unusual fire or explosion hazards noted.
Extinguishing media	
Suitable extinguishing media	Water spray. Carbon dioxide (CO2). Dry chemical powder. Foam.
Unsuitable extinguishing media	None known.
Protection of firefighters	
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Protective equipment and precautions for firefighters	Use water spray to cool unopened containers. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for fire-fighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Specific methods	In the event of fire and/or explosion do not breathe fumes.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.
Environmental precautions	Do not allow to enter drains, sewers or watercourses. Prevent further leakage or spillage if safe to do so.
Methods for containment	Prevent entry into waterways, sewers, basements or confined areas. Stop leak if you can do so without risk. Dike the spilled material, where this is possible.
Methods for cleaning up	Avoid dust formation. Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Small Spills: Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. Clean up in accordance with all applicable regulations. Collect in a non-combustible container for prompt disposal.

7. Handling and Storage

Handling	Wear appropriate personal protective equipment. Avoid breathing dust. Do not get in eyes and avoid contact with skin and clothing. Do not taste or swallow. Wash thoroughly after handling. Do not eat, drink or smoke when using the product. See Section 8 of the MSDS for Personal Protective Equipment.
-----------------	---

Storage

Keep tightly closed in a dry, cool and well-ventilated place.

8. Exposure Controls / Personal Protection

ACGIH

Material	Type	Value	Form
ALUMINUM SULFATE HYDRATE (17927-65-0)	TWA	1.0000 mg/m3	Respirable fraction.

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment**Eye / face protection**

Chemical goggles and face shield are recommended.

Skin protection

Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: High-efficiency particulate respirator with full facepiece.

General hygiene considerations

Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

General

Wear chemical protective equipment that is specifically recommended by the manufacturer. Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Appearance	Crystalline.
Color	Colorless.
Odor	Odorless.
Odor threshold	Not available.
Physical state	Solid.
Form	Crystals.
pH	> 2.9 Aqueous solution
Melting point	1418 °F (770 °C) Decomposes
Boiling point	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	1.69
Relative density	Not available.
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability Stable under normal temperature conditions.

Conditions to avoid	Excessive heat. Water, moisture.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Aluminum. Sulfur oxides.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data

Product	Test Results
ALUMINUM SULFATE HYDRATE (17927-65-0)	Acute Oral LD50 Rat: 1930 mg/kg
Sensitization	Not a skin sensitizer.
Acute effects	Harmful if swallowed.
Local effects	Causes eye burns. Causes skin irritation. Inhalation of dusts may cause respiratory irritation.
Chronic effects	Ingestion over a long period of time may cause damage to the liver, kidneys and nervous system.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
ACGIH Carcinogens	
ALUMINUM SULFATE HYDRATE (CAS 17927-65-0)	A4 Not classifiable as a human carcinogen.
Skin corrosion/irritation	Causes skin irritation.
Epidemiology	No epidemiological data is available for this product.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Neurological effects	Central and/or peripheral nervous system damage.
Reproductive effects	Contains no ingredient listed as toxic to reproduction
Teratogenicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Symptoms and target organs	Severe eye irritation. Moderate skin irritation. Upper respiratory tract irritation. Behavioral changes.

12. Ecological Information

Ecotoxicological data

Product	Test Results
ALUMINUM SULFATE HYDRATE (17927-65-0)	EC50 Amphipod (<i>Crangonyx pseudogracilis</i>): 11.8 mg/l 48.00 hours LC50 Fathead minnow (<i>Pimephales promelas</i>): 3.4 mg/l 96.00 hours
Ecotoxicity	Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	The product is not readily biodegradable.
Partition coefficient (n-octanol/water)	Not available

13. Disposal Considerations

Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. All wastes must be handled in accordance with local, state and federal regulations.
------------------------------	--

Contaminated packaging

Since emptied containers retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport Information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is not listed on the U.S. EPA TSCA Inventory. Under TSCA, hydrates are considered mixtures of their anhydrous salt and water. Accordingly, the anhydrous form is subject to TSCA reporting requirements.

CERCLA (Superfund) reportable quantity

ALUMINUM SULFATE HYDRATE: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 311 hazardous chemical
 Yes

Clean Water Act (CWA)
 Hazardous substance

Safe Drinking Water Act (SDWA)
 Contaminate candidate list

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Saf-T-Data

Health: 3 - Severe (Life)

Flammability: 0 - None

Reactivity: 1 - Slight

Contact: 3 - Severe

Lab Protective Equip: D - GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: G - Green (General Storage)

16. Labeling Info

Label Hazard Warning

DANGER

Harmful if swallowed. Causes eye burns. Causes skin irritation. Dust extremely irritating to the eyes and respiratory tract. Prolonged exposure may cause chronic effects.

Label Precautions

Do not breathe dust. Do not get in eyes and avoid contact with skin and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Keep container closed.

Label First Aid

Immediately flush eyes with plenty of water for at least 15 minutes. Immediately flush skin with plenty of water. If gas/fume/vapor/dust/mist from the material is inhaled, remove the affected person immediately to fresh air. Get medical attention immediately. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

17. Other Information

NFPA ratings

Health: 2

Flammability: 0

Instability: 0

Disclaimer

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.

Issue date

08-26-2011