

SAFETY DATA SHEET

1. Identification

Product identifier: PHENOLPHTHALEIN SOLUTIONS

Other means of identification

Product No.: 5927, H306, H297

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Avantor Performance Materials, Inc.
Address: 3477 Corporate Parkway, Suite 200
Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax:
Contact Person: Environmental Health & Safety
e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Germ Cell Mutagenicity Category 2

Carcinogenicity Category 1B

Toxic to reproduction Category 2

Specific Target Organ Toxicity -
Single Exposure Category 1

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:	Highly flammable liquid and vapor. Causes serious eye irritation. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs.
Precautionary Statement	
Prevention:	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response:	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
ETHANOL		64-17-5	50 - 95%
ISOPROPYL ALCOHOL		67-63-0	1 - 5%
METHYL ALCOHOL		67-56-1	1 - 5%
PHENOLPHTHALEIN		77-09-8	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.
Inhalation:	Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation persists after washing. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

Symptoms: Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Highly flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective Equipment.

Methods and material for containment and cleaning up: Eliminate all ignition sources if safe to do so. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use only non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Use only with adequate ventilation. Wash hands thoroughly after handling. Avoid contact with eyes. Avoid contact with skin. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Wear fire/flame resistant/retardant clothing. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities: Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
ETHANOL	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (2011)
	REL	1,900 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,900 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,900 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
ISOPROPYL ALCOHOL	TWA	200 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	400 ppm	US. ACGIH Threshold Limit Values (2011)
	REL	400 ppm 980 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	500 ppm 1,225 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	400 ppm 980 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm 980 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm 1,225 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	METHYL ALCOHOL	TWA	200 ppm
METHYL ALCOHOL	STEL	250 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	325 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	260 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	260 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	260 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	325 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
ISOPROPYL ALCOHOL (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)
METHYL ALCOHOL (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection:	In case of inadequate ventilation use suitable respirator.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower.

9. Physical and chemical properties

Appearance

Physical state:	Liquid
Form:	Liquid
Color:	Colorless
Odor:	Odor of ethyl alcohol
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	< 100 °C
Flash Point:	13 °C (Closed Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.80 (20 °C)
Solubility(ies)	
Solubility in water:	Miscible with water.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	363 °C
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Heat, sparks, flames. Contact with incompatible materials.
Incompatible Materials:	Strong oxidizing agents. Flammable/combustible material. Silver. Salts of strong bases. Chlorinated compounds. Alkali earth metals. Alkali metals. Alkalies. Metal oxides. Hydrazine.
Hazardous Decomposition Products:	Fire or excessive heat may produce hazardous decomposition products. Oxides of Carbon.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	May cause irritation of the gastrointestinal tract.
Inhalation:	Spray mists may cause respiratory tract irritation.
Skin Contact:	Causes skin irritation.
Eye contact:	Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	No data available.
Specified substance(s): ETHANOL	LD 50 (Rat): 6,200 mg/kg LD 50 (Guinea Pig): 5,600 mg/kg LD 50 (Rabbit): 6,300 mg/kg
Specified substance(s): ISOPROPYL ALCOHOL	LD 50 (Rat): 5,045 mg/kg
Specified substance(s): METHYL ALCOHOL	LD 50 (Rat): 5,628 mg/kg LD 50 (Mouse): 7,300 mg/kg LD 50 (Rabbit): 14,300 mg/kg

Dermal

Product:	No data available.
Specified substance(s): ETHANOL	LDLo (Rabbit): 20,000 mg/kg
Specified substance(s): ISOPROPYL ALCOHOL	LD 50 (Rabbit): 12,800 mg/kg
Specified substance(s): METHYL ALCOHOL	LD 50 (Rabbit): 15,800 mg/kg

Inhalation

Product:	No data available.
Specified substance(s): ETHANOL	LC 50 (Rat, 10 h): 20000 ppm LC L0 (Guinea Pig,): 21900 ppm
Specified substance(s): ISOPROPYL ALCOHOL	No data available.
Specified substance(s): METHYL ALCOHOL	LC 50 (Rat, 1 h): > 145000 ppm LC 50 (Rat, 4 h): 64000 ppm

Repeated Dose Toxicity

Product:	No data available.
-----------------	--------------------

Skin Corrosion/Irritation

Product:	May cause skin irritation.
-----------------	----------------------------

Serious Eye Damage/Eye Irritation

Product:	May irritate eyes.
-----------------	--------------------

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

ETHANOL	Overall evaluation: 1. Carcinogenic to humans.
ISOPROPYL ALCOHOL	Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 3. Not classifiable as to carcinogenicity to humans.
PHENOLPHTHALE IN	Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

ETHANOL	Known To Be Human Carcinogen.
PHENOLPHTHALE IN	Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: Suspected of causing genetic defects.

In vivo

Product: Suspected of causing genetic defects.

Reproductive Toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: Causes damage to organs.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Aspiration Hazard

Product: Not classified

Other Effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

ETHANOL	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 12,000 - 16,000 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 96 h): 13,480 mg/l Mortality LC 50 (Carp (Leuciscus idus melanotus), 48 h): 8,140 mg/l Mortality
---------	---

ISOPROPYL ALCOHOL	LC 50 (Fathead minnow (<i>Pimephales promelas</i>), 96 h): 5,770 - 7,450 mg/l Mortality LC 50 (Bluegill (<i>Lepomis macrochirus</i>), 96 h): > 1,400 mg/l Mortality LC 50 (Western mosquitofish (<i>Gambusia affinis</i>), 96 h): > 1,400 mg/l Mortality
METHYL ALCOHOL	LC 50 (Bluegill (<i>Lepomis macrochirus</i>), 96 h): 15,400 mg/l Mortality LC 50 (Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>), 96 h): 19,000 - 20,100 mg/l Mortality LC 50 (Fathead minnow (<i>Pimephales promelas</i>), 96 h): 28,100 - 29,400 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

ETHANOL	LC 50 (Brine shrimp (<i>Artemia franchiscana</i>), 48 h): 25.5 mg/l Mortality LC 50 (Water flea (<i>Daphnia magna</i>), 48 h): 7,560 - 12,600 mg/l Mortality
---------	---

ISOPROPYL ALCOHOL	LC 50 (Brine shrimp (<i>Artemia salina</i>), 24 h): > 10,000 mg/l Mortality LC 50 (Water flea (<i>Daphnia magna</i>), 24 h): > 10,000 mg/l Mortality LC 50 (Common shrimp, sand shrimp (<i>Crangon crangon</i>), 96 h): 750 - 1,650 mg/l Mortality
-------------------	--

METHYL ALCOHOL	LC 50 (Water flea (<i>Daphnia magna</i>), 48 h): 2,461 - 4,395 mg/l Mortality
----------------	---

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

ETHANOL Log Kow: -0.31

ISOPROPYL ALCOHOL Log Kow: 0.05

METHYL ALCOHOL Log Kow: -0.77

Mobility in Soil: No data available.

Other Adverse Effects: The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number:	UN 1170
UN Proper Shipping Name:	Ethanol solutions
Transport Hazard Class(es)	
Class(es):	3
Label(s):	3
Packing Group:	II
Marine Pollutant:	No

IMDG

UN Number:	UN 1170
UN Proper Shipping Name:	ETHANOL SOLUTION
Transport Hazard Class(es)	
Class(es):	3
Label(s):	3
EmS No.:	F-E, S-D
Packing Group:	II
Marine Pollutant:	No

IATA

UN Number:	UN 1170
Proper Shipping Name:	Ethanol solution
Transport Hazard Class(es):	
Class(es):	3
Label(s):	3
Marine Pollutant:	No
Packing Group:	II

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

ETHANOL	Reportable quantity: 100 lbs.
ISOPROPYL ALCOHOL	Reportable quantity: 100 lbs.
METHYL ALCOHOL	Reportable quantity: 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity	RQ
ETHANOL	100 lbs.
ISOPROPYL ALCOHOL	100 lbs.
METHYL ALCOHOL	5000 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
ETHANOL	500 lbs
ISOPROPYL ALCOHOL	500 lbs
METHYL ALCOHOL	500 lbs
PHENOLPHTHALEIN	500 lbs

SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
ISOPROPYL ALCOHOL	10000 lbs	25000 lbs.
METHYL ALCOHOL	10000 lbs	25000 lbs.
PHENOLPHTHALEIN	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

ETHANOL	Carcinogenic.
ETHANOL	Developmental toxin.
METHYL ALCOHOL	Developmental toxin. WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
PHENOLPHTHALEIN	Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

ETHANOL	Listed
ISOPROPYL ALCOHOL	Listed
METHYL ALCOHOL	Listed

US. Massachusetts RTK - Substance List

ETHANOL	Listed
ISOPROPYL ALCOHOL	Listed
METHYL ALCOHOL	Listed

US. Pennsylvania RTK - Hazardous Substances

ETHANOL	Listed
ISOPROPYL ALCOHOL	Listed
METHYL ALCOHOL	Listed

US. Rhode Island RTK



ETHANOL	Listed
ISOPROPYL ALCOHOL	Listed
METHYL ALCOHOL	Listed

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date:	01-02-2015
Revision Date:	No data available.
Version #:	1.0
Further Information:	No data available.

Disclaimer:

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.